
AD-A145 556 RAPIDLY CONVERGENT ALGORITHMS FOR NONSMOOTH

OPTIMIZATION(U) WASHINGTON STATE UNIV PULLMAN DEPT OF
PURE AND APPLIED MATHEMATICS R MIFFLIN 14 JUL 84

UNCLASSIFIED AFOSR-TR-84-0727 AFOSR-83-0210

F/G 12/1 NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A



4

RAPIDLY CONVERGENT ALGORITHMS FOR NONSMOOTH OPTIMIZATION

INTERIM SCIENTIFIC REPORT, GRANT AFOSR-83-0210

15 JULY 1983 - 14 JULY 1984

14 July 1984

Robert Mifflin
Department of Pure and Applied Mathematics
Washington State University
Pullman WA 99164-2930



Approved for Fublic releasen:
distribution unlimited.

84 08 30 040

UNCLASS ECURITY CLAS	IFIED SIFCATION OF	F THIS PAGE						
		1 1	REPORT DOCU	MENTATION	PAGE			
REPORT SE	CURITY CLASS	IFICATION		16. RESTRICTIVE	MARKINGS			ود پرسورکست
R. SECURITY CLASSIFICATION AUTHORITY				3. DISTRIBUTION/AVAILABILITY OF REPORT				
b. DECLASSIFICATION / DOWNGRADING SCHEDULE				Approved for public release; distribution unlimited.				
PERFORMIN	G ORGANIZAT	ION REPORT NUMBE	R(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)				
				AFOSR-TR. 84-0727				
		ORGANIZATION University	6b OFFICE SYMBOL (If applicable)	73. NAME OF MONITORING ORGANIZATION				
			1	Air Force Office of Scientific Research				
	City, State, and Pure & A	d ZIP Code) pplied Mathem	atics	7b. ADDRESS (City, State, and ZIP Code) Directorate of Mathematical & Information				
-	WA 9916			Sciences, AFOSR, Bolling AFB DC 20332				
a. NAME OF ORGANIZA	FUNDING/SPO TION	NSORING	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
AFOSR NM				AF0SR-83-0210				
k. ADDRESS (City, State, and	ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
Bolling	AFB DC	20332		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UN ACCESSION	
				61102F	2304	A:	1	
6. SUPPLEME	NTARY NOTAT		<u>/7/83</u> 10 <u>14/7/84</u>					
7.	COSATI CODES 18. SUBJECT TER		18. SUBJECT TERMS		_			•
FIELD	GROUP	SUB-GROUP		imization; nondifferentiable programming;				
			constrained m	inimization; esearch		h.		
optimiz implici For the approxi vergence relative than li points derivat	ation protify defination, as e to a stely weak near convitat are ives.	blems involvi ed. ariable case n automatic s ationary poin convergence r ergence. The used in denom	this grant has ng functions the a method has be cale-free penal t, but does not ate assumptions safeguard also inators of diffe	en given which ty technique detract from the algorith has the prace	ch combines and a safe rapid com exhibits ctical advants for ap	polyheguard (vergence a new untage o	edral and quad that insures c ce. Under type of bette	ration-
				21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED 22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL				
22a NAME OF RESPONSIBLE INDIVIOUAL CPT John P. Thomas, Jr.				(202) 767-	Onclude Area Co 5026	ide) ZZc.		
DD FORM 14		الراسيس والباساتيات	PR edition may be used u All other editions are o	ntil exhausted.			ICATION OF THIS PA	<u>GE</u>

84 08 30 040

ITEM #19, ABSTRACT, CONTINUED: A practical single resource allocation problem with several bounded decision variables has been solved very efficiently via a dual technique that used the single variable method in a nested manner to solve both the outer dual problem and the inner Lagrangian subproblems.

The new concept of better than linear convergence from the single variable case has been generalized to the multivariable case. Author supply Key words also include:

Constrained Wininization, and
line search.

The research conducted under Grant Number AFOSR-83-0210 during the period 15 July 1983 to 14 July 1984 is reported on in [2], [5] and [6].

The goal of this project is to develop methods to solve efficiently constrained minimization problems that have problem functions that are not everywhere differentiable. Such difficult problems occur in practice when decomposition, nested dissection, relaxation, duality and/or exact L₁ penalty techniques are applied to large or complicated nonlinear programming problems in order to convert them to a sequence of smaller or less complex problems. Being able to use these techniques that often give implicitly defined problem functions gives a user flexibility in modeling a problem for solution and the ability to exploit parallel processing in computation.

In [5] the principal investigator developed a reliable and efficient method for solving single-variable optimization problems that may have constraints and may have problem functions that are nonsmooth and/or nonconvex. The method converges to stationary points of problems on which secant and/or cutting plane methods may fail and it converges rapidly on some problems on which these other methods do not exhibit superlinear convergence. The new safeguarding development that insures convergence via a sequence of intervals with decreasing lengths does not detract from better than linear convergence and fits in well with numerical practice, because it keeps apart points whose difference appears in the denominator of a divided difference formula for second derivative approximation. Our new automatic penalty technique for handling a constraint is also numerically sound, because it is independent of constraint scaling and numerically well-conditioned under a mild constraint qualification.

This new single variable method can be used to solve line search problems in multivariable optimization where a line search function value decrease requirement can be imposed via a constraint. Also, it can be used to solve a root (or zero) finding problem on an interval by minimizing the absolute value of the appropriate function subject to a constraint defining the interval.

To show the efficacy of our single variable method and corresponding FORTRAN-code

. soution Division

we solved a practical single resource allocation problem [1] with five bounded decision variables via a dual or min-max technique. This application used our subroutine in a nested manner, i.e. a single variable "outer" problem was solved where each function evaluation involved solving a five variable "inner" Lagrangian problem that separated into five independent single variable problems. This nested application of our algorithm used somethat less function evaluations that the number used by Powell's sequential quadratic programming code VMCWD [7] applied to the primal problem. If one has the facility for parallel processing then our approach can be made even more efficient by solving the five independent subproblems in parallel. We reported these results at the SIAM Conference on Numerical Optimization held at Boulder, CO in June 1984. We have been invited to write a code description and user's guide for our FORTRAN implementation for presentation at the NATO Advanced Study Institute on Computational Mathematical Programming to be held at Bad Windsheim, West Germany in July 1984. After completing this we intend to revise and improve our earlier paper on a BASIC implementation [2] so that challenging problems can be solved on micro- as well as on more sophisticated computers.


The principal investigator and his Ph.D. student Nilama Gupta are making progress on generalizing the above research to the multivariable case. Part of this work for the unconstrained case was presented at the 11th IFIP Conference on System Modelling and Optimization held at Copenhagen, Denmark in July 1983, and will appear in [6]. This research involves developing a safeguarded piecewise quadratic approximation technique that approximates higher than first order information and leads to a new concept of better than linear convergence. This method is being designed to converge to stationary points of problems with semismooth functions (a concept developed under Grant Number AFOSR-74-2695 [3]). It should converge rapidly under stronger assumptions including an underlying piecewise C² structure.

The proposed method requires the solution of a certain indefinite quadratic programming subproblem, so our Ph.D. student Amal Al-Saket is developing a numerically

reliable method to solve such problems (and generalizations thereof) based upon our earlier successful efforts on the constrained least squares problem [4].

REFERENCES:

- [1] K.W. Heiner, M. Kupferschmid and J.G. Ecker, Maximizing Restitution for Erroneous Medical Payments when Auditing Samples from More than One Provider, <u>INTERFACES</u> 13 (1983) 12-17.
- [2] I. Mifflin and R. Mifflin, A BASIC Program for Solving Univariate Constrained Minimization Problems, Dept. of Pure and Applied Mathematics, WSU, Pullman, 1983, under revision for IEEE MICRO.
- [3] R. Mifflin, Semismooth and semiconvex functions in constrained optimization, SIAM Journal on Control and Optimization 15 (1977), 959-972.
- [4] R. Mifflin, A stable method for solving certain constrained least squares problems, Mathematical Programming 6 (1979), 141-158
- [5] R. Mifflin, Stationarity and Superlinear Convergence of an Algorithm for Univariate Locally Lipschitz Constrained Minimization, <u>Mathematical Programming</u> 28 (1984) 50-71.
- [6] R. Mifflin, Better than Linear Convergence and Safeguarding in Nonsmooth Minimization, in P. Thoft-Christensen, ed., <u>System Modelling and Optimization</u>, Springer-Verlag, to appear.
- [7] M.J.D. Powell, VMCWD:A Fortran subroutine for constrained optimization, DAMTP 1982/NA4, Cambridge, July 1982.



ELLMED

0=84

4

DIIC